

Hy²Market

H₂ Pipeline material

Hy2market-WP3.4 D3.1-pipe-line material testing campaign and deployment plan -2402

| Date | Version | Status | Initials | Changes Marked |
|----------|---------|------------------------|----------|----------------|
| 06-02-24 | V0 | editing | PCs | |
| 22-02-24 | V1 | update | PCs | |
| 30-07-24 | V2 | Corrections and update | PCs | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



Co-funded by
the European Union

Version Control Sheet

WP: WP3 Hydrogen transport

Lead author: Peter Cloos

Contributing Authors: Type lead contributing authors

Due date first version: 2024-02-06

Date present version: 2024-07-30

Version: V2

Contact: Peter.cloos@soluforce.com

Dissemination Level: PU: Public

CO: Confidential, only for members of the consortium
(including the Commission)

Table of contents

| | |
|---|----|
| Introduction and scope of work | 5 |
| 1.1 Introduction..... | 5 |
| 1.1.1 Hy ₂ Market..... | 5 |
| 1.1.2 WP3 hydrogen Transport | 5 |
| 1.1.3 SoluForce product introduction | 5 |
| 1.2 SoluForce scope..... | 6 |
| 1.2.1 Northern Netherlands installation | 6 |
| 1.2.2 Rhone-Alpes region..... | 7 |
| 1.2.3 Asturias region..... | 7 |
| 1.2.4 General..... | 7 |
| Implementation of SoluForce Pipeline | 8 |
| 2.1 General..... | 8 |
| 2.1.1 Synchronize pipe and project data | 8 |
| 2.1.2 Pipeline Routing | 8 |
| 2.1.3 General certification of the product | 8 |
| 2.1.4 Comply to the local standards | 9 |
| 2.2 First Dutch hydrogen SoluForce pipe learnings | 10 |
| 2.2.1 Qualification | 10 |
| 2.2.2 Project versus Pipe system specifications | 10 |
| 2.2.3 Risk assessment | 10 |
| 2.2.4 Local engineering regulations | 11 |
| 2.2.5 Horizontal directional drilling (HDD) | 12 |
| 2.2.6 Hy ₂ market Dutch projects | 12 |
| Hy ₂ market projects | 14 |
| 3.1 General..... | 14 |
| 3.2 France Rhone-Alpes region (CNRhone)..... | 14 |
| 3.2.1 General..... | 14 |
| 3.2.2 Regulations..... | 14 |
| 3.2.3 Location..... | 15 |

| | | |
|-------|--|-----------|
| 3.2.4 | Frans preliminary standards and regulations list..... | 15 |
| 3.2.5 | First project analyses..... | 17 |
| 3.3 | Spain Asturias region (EDP/SMEs)..... | 18 |
| 3.3.1 | General..... | 18 |
| 3.3.2 | Regulations..... | 18 |
| 3.3.3 | Location..... | 20 |
| 3.3.4 | Operational conditions..... | 20 |
| 3.3.5 | First project analyses..... | 21 |
| | Additional testing campaign..... | 22 |
| 4.1 | General..... | 22 |
| 4.2 | Hydrogen purity..... | 22 |
| 4.3 | SoluForce on pipe racks..... | 22 |
| | Actions..... | 24 |
| | References..... | 25 |
| 5.1 | Reference list..... | 25 |
| 5.2 | Standards and regulations..... | 25 |
| | EU acknowledgement and disclaimer..... | 26 |
| | Appendix 1: Asturias standard and regulation check results..... | 25 |

Introduction and scope of work

1.1 Introduction

1.1.1 Hy₂Market

Europe needs a hydrogen market.

10 countries, 38 participants, investigate and develop a more mature hydrogen value chain across Europe on all market levels. The ultimate desire is to make Europe a resource-efficient and competitive green hydrogen economy. Hy2Market will step forward by creating interregional and international value chains by connecting regions in order to work on different innovations to boost the production, transport, and use of green hydrogen.

“Creating the hydrogen market for Europe”



1.1.2 WP3 hydrogen Transport

The main focus of this work package is to find innovative solutions for better, safer, affordable and efficient hydrogen transport between production and offtakers.

Different options for H₂ transportation will be investigated and assessed for all regions, and tested in real life environments in Northern Netherlands. Lead for this WP3 is NEC with the partners Soluforce, HYE TS, HyET, EDP, CNR.



1.1.3 SoluForce product introduction

SoluForce® high pressure Flexible Composite Pipe (FCP) developed by SOLUFORCE has been fully certified for H₂ transport. In contrast with steel pipes, it can be deployed from 400m spools greatly reducing cost for groundworks and welding, while being completely permeation-free for H₂. Furthermore due to the use of the Soluforce pipe the CO₂ footprint is reduced to 30% compared to traditional solutions.

The Soluforce hydrogen certified pipe is available in 4 and 6" and can be used for hydrogen up to 52 bar and maximal 65°C. The pipes are packed in a 400 meter package which is easy to transport and is also used for uncoiling the pipe at the right of way.

The pipe consists of four layers: a PE100 liner pipe for leak free transport, an anti-permeation layer making sure the hydrogen permeation is nihil, an Aramid reinforcing layer to bear the strength for the high pressures and a cover layer to protect the pipe from environmental influences. The pipe system, pipe and fitting system, is fully non-metallic. The SoluForce pipes are inter connected by an electro fusion coupler system. First the liner pipe is butt-fused for a leak free connection and next the electro fusion sleeve is centrally placed over the butt-weld for the necessary strength. This connection is stronger than the pipe itself. For connecting the pipe to the hydrogen production and offtakers, an electro fusion end-fitting is used. The end-fitting is mechanically connected to steel parts with an ANSI flange or a weld stub. In order to connect different offtakers, producers or a connection to a large back-bone along the SoluForce pipeline also an electro fusion T-piece is being developed.

1.2 SoluForce scope

The SOLUFORCE scope in this WP3 work package for hydrogen transport has three main items:

1. Installation of a pilot for the SoluForce pipe line in Northern Netherlands ;
2. Find the optimal deployment plan, including regulatory affairs for the Rhone-Alpes region project of CNRhône in France near Lyon ;
3. Find the optimal deployment plan, including regulatory affairs for the EDP project in Asturias Spain.

All three items have in common that for the use of the SoluForce pipe the project and product need to comply to the local regulations and standards. There will be commonly used standards and available information and specific regional aspects which need to be recognised and being complied to.

1.2.1 Northern Netherlands installation

SOLUFORCE will install a pilot of their reinforced polymer pipeline (MS3.1, M33) in the Northern Netherlands connecting H2 production to H2 offtakers. One pipeline for Groningen sea ports and one pipeline for Firan in Deventer.

1.2.2 Rhone-Alpes region

The results of the Northern Netherlands installation will be studied in detail for the Rhone-Alpes region where an electrolyser on an island in the river near Lyon needs a connection to the shore. CNRhône will work with SoluForce and local French SMEs (S3.6) to find the optimal deployment plan, including regulatory affairs, for the crossing and potential co-transport of O₂ and heat.

1.2.3 Asturias region

In Asturias, EDP will similarly work with Spanish SMEs (S3.5) to develop O₂ and heat co-transport in the context of the Spanish 100 MW electrolyser (see Task 2.4), where H₂ needs to cross Aboño river to reach the power plant.

1.2.4 General

All regions will provide input on expected H₂ specs from their respective demo sites (T2.1-2.4, T4.1-4.2, T5.1-5.2, PMs included in T3.2), and an additional testing campaign for H₂ pipelines will be developed based on the specifications received (D3.1, M6).

Implementation of SoluForce Pipeline

2.1 General

In order to be allowed to use SoluForce pipe for Hydrogen transport, Authority approval will be necessary. The general items for approval are:

1. Synchronized pipe and project specifications ;
2. Pipeline routing (ROW) ;
3. Approval present pipe certification / qualification (API 15S and Kiwa) by local authority ;
4. Comply to local regulations for pipeline engineering and installation.

2.1.1 Synchronize pipe and project data

The SoluForce pipe portfolio consists of several fixed products. In order to be able to use the SoluForce pipe system in the project, the project specifications need to fall into the SoluForce pipe system specifications. The SoluForce datasheet lists the specifications of the SoluForce portfolio products. The first step in the process is to see if one of the SoluForce products meets the project specifications.

2.1.2 Pipeline Routing

A first quick check of the pipeline routing (right of way (ROW)) is not a direct must, but can make already clear if the long length pipes can be applied in the project.

2.1.3 General certification of the product

The specific general used qualification standard for the SoluForce pipe (FCP pipes) is the API 15S. By using this standard the pipes can be qualified for certain operational parameters for specific fluids or fluid groups. The API15S certificate will need to be accompanied by the quality management system standard API Q1. API 15S does not specifically mention hydrogen and therefore an extra API15S assessment is needed to check the details for hydrogen application. For the SoluForce pipe system this is done by Kiwa in the Netherlands.

International Standards

API 15S
API Q1

In order to be allowed to use the SoluForce pipe the local authorities need to acknowledge these standards.

2.1.4 Comply to the local standards

This part is the biggest challenge for products and applications which are new. The local authorities are responsible for the local safety and therefore have to deal with risks. For the design, installation, and application of pipelines local regulations or standards are in place. Hydrogen is already used for decades but now gets the focus as new energy and therefore it is new for the local authorities. This means that regulators are extra keen on the risk assessments. The same yields for the SoluForce pipe which is already successfully used for 25 years in the oil and gas industry. The advantages of the SoluForce product are recognized by hydrogen or new energy customers, especially because SoluForce has already hydrogen certified products. Now the challenge is to comply to the local regulations which are very much focused on standard materials and the natural gas transport and distribution. The maximum allowed operating pressure is the large difference, where the distribution is typically set to 16 bar and allowed to be operated by local distribution network companies (DSO), while above that pressure the national operators operate the network (TSO). Also the allowed pressure levels for non-metallics are typically below 16 bar.

Typically the today's electrolyzers produce 30 bar Hydrogen. This pressure level falls outside the typical TSO distribution production. Energetically it would be really unacceptable to first reduce the pressure below the 16 bar to allow the TSO to distribute the hydrogen, while the consumers or a possible backbone operates at 30 bar or higher. Furthermore any line packing or hydrogen storage in the pipeline will be drastically reduced.

In order to comply to the local standards, it needs to be checked which standards apply and overcome the gap between these regulations and the project specifications and operation and everything in between.

2.2 First Dutch hydrogen SoluForce pipe learnings

2.2.1 Qualification

The first step in the hydrogen journey was to qualify the SoluForce pipe for hydrogen. Kiwa assessed the SoluForce pipe system for hydrogen applications against API 15S. This resulted in several extra tests. The extra main items for the hydrogen application to check are:

1. Chemical compatibility of the used materials against hydrogen ;
2. Permeation of hydrogen ;
3. Rapid decompression of pipe system.

Qualification

Chemical compatibility
Permeation of hydrogen
Rapid decompression

The Kiwa assessment was finalized with a certificate for the application of hydrogen laid down in a Kiwa covenant (K101779-05). The SoluForce datasheet for hydrogen application lists all the specifications.

2.2.2 Project versus Pipe system specifications

Due to the innovative drive of multiple Dutch companies a project for a local industrial hydrogen backbone was made. In the Groningen-seaport different companies are clustered where already hydrogen is a side product. Together with a hydrogen production the industries in the area will use the hydrogen for their activities.

The project specifications, including the performance of the electrolyser, were compared with the pipe system specifications and showed to be inline.

2.2.3 Risk assessment

In order to be allowed to perform a project a quantitative risk assessment (QRS) needs to be performed for the project. In case well known fluids are used with standard materials such a risk assessment is a straight forward job. In case of this situation, where hydrogen and a not commonly used pipe material is applied, such a risk assessment is quite extensive. The SoluForce certification for the German gas standard DVGW VP642 gave a big advantage here, for this certification already a risk assessment was made.

Risk management

QRA
BEVB / REVB regulation
SAFETI calculation

In a project team supported by the Dutch authorities RIVM (RijksInstitute voor Volksgezondheid en Milieu, Governmental institute for health and environment) a full risk assessment was

performed. The base for the risk assessment are the BEVB (besluit externe veiligheid buisleidingen, decision external safety pipelines) and REVB (regeling externe veiligheid, regulation external safety pipelines). A list of risks are analysed and given a probability number according to specific rules and next are put in the risk assessment calculation program SAFETI (P010319/2020.00724). The conclusion was that the SoluForce pipe could be installed for this Hydrogen project.

This risk assessment document is available. It can be used helping to make such a risk assessment for a specific project more easy to complete. For the projects in this Hy2market project it will be necessary to identify local pipeline safety regulations.

2.2.4 Local engineering regulations

To be allowed to construct a pipeline in the Netherlands it is mandatory to comply to the Dutch local regulations / standards NEN3650 and NEN3651 and associated documents. NEN3650 is the general standard and the NEN3651 is a special regulation for waterways. The NEN3650 consists of several parts, starting with a general part and parts for specific pipeline materials:

- NEN3650-1 General
- NEN3650-2 Steel pipes
- NEN3650-3 Non-metallics and GRE pipes (solid wall)
- NEN3650-6 FCP pipes (published for comments)

Engineering

NEN3650

NEN3651

PLE calculation protocol

This standard describes how to design a pipeline and which issues have to be taken care of. The standard takes into account the transportable fluid and divides the application in classes. All kind of issues have to be taken into account and the designed pipeline needs to be modelled in a software program. Typically the PLE program is used for this modelling. In the Dutch case for the Groningen-seaport project the NEN3650-3 was used. The SoluForce pipe has the same properties as a standard HDPE pipe when there is no pressure, but behaves like a composite when under pressure. In NEN3650-3 both are described. The standard HDPE pipe part is used for the situation where there is no pressure and for the situation with pressure the GRE part is used. This is possible because GRE pipes also have different specifications for axial and radial direction. An engineering company has designed the Groningen-seaport pipeline and made the procedure for calculating the SoluForce pipeline according to NEN3650-3. This calculation was checked and approved by Lloyds. This means that for this project the pipe design with the SoluForce pipe complied to the local engineering regulations.

When looking into the standards it shows that many NEN regulations are also EN NEN regulations and applicable for other European countries. It seems that the NEN3650 and NEN3651 are Dutch regulations and not European. Other countries most probably have less stringent regulations. The Dutch regulations are tight because of the large risk of soil deformation resulting from the high water tables and different weak soils. Most probably these Dutch standard might be accepted by other local European authorities. For the Hy2market projects this means that it is necessary to identify if the local authorities acknowledged these Dutch regulations or others are available.

2.2.5 Horizontal directional drilling (HDD)

Already several projects are active in the Netherlands for the transport of hydrocarbons. In several of these projects HDD is considered. Moreover in one project already the HDD is being engineered. For HDD also the NEN3650 and NEN3651 are applicable. HDD is an installation process and therefore the pipe is not under pressure of the transport fluid. The pipe is pulled into a drilled hole and will see several forces resulting in axial pulling force, bending force and external compression forces. For NEN modelling calculations need to be performed, for instance by using the Sigma calculation program. For this program specific material properties need to be entered. The properties of the SoluForce pipe has been checked and compared to the standard HDPE material properties at the right temperature and time scale. It has been shown that the SoluForce pipe has nearly the same ringstiffness as a full wall HDPE pipe, but that the bendingstiffness is smaller and also the allowed axial force. In the calculations for the HDD modelling this can be adjusted by entering reduced parameters for the wall thickness and MRS values. This procedure is described in a SoluForce technical document.

HDD

NEN3650
NEN3651
Sigma calculations

For the Hy2market projects this means that also this program and this standard could be used to design the HDD for these projects.

2.2.6 Hy2market Dutch projects

2.2.6.1 SoluForce project

In the Hy2market a Dutch project will be realized where SoluForce is in the lead. In first instance a project in Emmen was selected, however this project could not be realized. A new project is selected in Deventer, building the first part of a hydrogen backbone together with gas company Firan. The location of the hydrogen production is known and the different present and future offtakers. The project is divided in two phases, being a short pipeline from the Hydrogen storage

to a the new hydrogen lab of Nevid / Bosch and next, when the electrolyser has been installed, a back bone from the storage to local offtakers. Presently preparations are made to install the pipe Q4 2024.

2.2.6.2 HyE TS project

The other pipeline realization is led by HyE TS. In this case a pipeline will connect the Nobian electrolyser to the compression station through a HDD crossing a waterway. The project is already approved by the local authorities and engineering is performed.

Hy2market projects

3.1 General

For supporting the Hy2market projects in Frans and Spain first an extended excel filling form was send. The requested data are about the operational parameters, the local area conditions, possible installation techniques, ROW details and local regulations. With these details a gap analyses can be made to understand open issues and to start a detailed deployment plan. In the next paragraphs the present information about the projects is shown and where possible already a gap analyses made.

3.2 France Rhone-Alpes region (CNRhone)

3.2.1 General

This project handles about a hydrogen pipeline in the Rhone-Alpes region where an electrolyser on an island in the river near Lyon needs a connection to the shore. The pipeline can be a DN100 pipe which is intrinsically operating at 40 bar and a max pressure of 50 bar. In the future the pressure shall be increased to possibly 100 bar to enable injection onto a planned European hydrogen backbone. Preferably the later compression to 100 bar is done at the electrolyser area where here there is power and room. It handles about a pipeline of about 700 meters which needs to be installed using HDD. The HDD crosses for a large part the waterway and also a high way and a local road. The hydrogen will be 99.995% pure. The impurities will be less than 50 ppm of O₂, N₂, H₂O.

The project shall be commissioned by end of 2026. Works start in 2025.

SoluForce is also developing a pipe for 100 bar Hydrogen, which may be used in the Frans project.

3.2.2 Regulations


Next to the local regulations which still need to be checked. Already several issues are set:

1. Lifetime >50 years (SoluForce at least 50 years) ;
2. Inspections every 10 years (possible for SoluForce, maybe insert spool piece) ;
3. Piggable (SoluForce is piggable with PUR foam pig) ;

GRTgaz has tested SoluForce pipes up to 100 bar for gas applications and performed a full audit. All the results are gathered in a design report, which was handed over to the Frans administrator. This effort resulted in the approval of the SoluForce pipe system for both the Aramid and the steel reinforced pipe. This approval will very much help for the CNRhône project. Still the engineering of a pipeline will need to follow the Frans national and local regulations.

3.2.3 Location

Below the picture shows the location of the CNRhône pipeline.



3.2.4 Frans preliminary standards and regulations list

For the SoluForce qualification and certification for the Frans authorities, a preliminary list is made of associated standards and regulations. For the Rhone project at least the same will be applicable. Additionally the French decree was added. Table 1 lists the documents.

Table 1: List of associated standards and regulations (France)

| # | Document | SF Comply |
|---|--|-------------------|
| 1 | NF EN ISO 9001: 2015 “Quality Management System – Requirements” | yes |
| 2 | API SPEC Q1: 2019 + Errata 1 to 3 + ADD 1 & 2 “Specification for Quality Management System Requirements for Manufacturing Organizations for the Petroleum and Natural Gas Industry” | yes |
| 3 | API 17B: 2014 “Recommended Practice for Flexible Pipe” | partly |
| 4 | API 17J: 2017 + Errata 1 & 2 + ADD 1 “Specification for Unbonded Flexible Pipe” | partly |
| 5 | API 15S: 2019 + Errata 1 + ADD 1 “Spoolable Reinforced Plastic Line Pipe” | yes |
| 6 | NF EN 1594 « Système d’alimentation en gaz – Canalisations pour pression maximale de service à 16 bars – Prescriptions fonctionnelles » | project |
| 7 | ISO TS 18226 « Tubes et raccords en matières plastiques – Composition » | yes |
| 8 | NF EN ISO 13628-10 : 2010 “ Industries du pétrole et du gaz naturel - Conception et exploitation des systèmes de production immergés - Partie 10 : spécification pour canalisations flexibles composites » | Partly / offshore |
| 9 | French Ministerial decree on the 03/07/2020 modifying the 03/05/2014 version (“Multifluids ministerial decree”) | To be checked |

The list of standards are checked for any issues which are special for the SoluForce pipe. The main regulation are the French Ministerial decrees. It is a quite extended document compilation. Most probably the local contractors and engineering companies know how to deal with all these aspects.

Analysing the documents the following was find to be of importance when SoluForce pipes are used:

| # | Important items |
|----|---|
| 1 | Flexible pipes are introduced |
| 2 | Inspection procedure |
| 3 | Warning tape / detectable tape? |
| 4 | 10 meter from buildings |
| 5 | risk probabilities less than 10^{-6} (people involved ≤ 300) FMEA QRA |
| 6 | hydrotest (strength and leak test) witnessed by authorized body |
| 7 | monitoring parameters |
| 8 | pipeline examination at least every 10 years |
| 9 | leak detection system? |
| 10 | safety management system SGS |
| 11 | If no NDT procedure available then every three years pipe condition test? |

3.2.5 First project analyses

When all present details are overseen the following can be mentioned:

1. Initial operating parameter can be met with the SoluForce M480 H2T pipe ;
2. The regulations of 3.2.2 can be met with the SoluForce pipe ;
3. The present SoluForce pipe will not be capable to run at 100 bar. If the compression will be at the electrolyser site the pipe will need to be capable of operating at 100 bar ;
4. SoluForce will have a hydrogen pipe available beginning of 2025 for over 100 bar. This pipe can be used for this project. Both schedules are inline ;
5. HDD can be designed according to the NEN3650 regulations, if allowed ;
6. Up to now there is no list of applicable regulations given, only a copy of the standards which were listed for the SoluForce French certification. It will need to be checked if more regulations apply. Probably the NEN3650 and NEN3651 may help ;

3.3 Spain Asturias region (EDP/SMEs)

3.3.1 General

This project handles about a hydrogen pipeline in the Asturias region where an 100 MW electrolyser needs to be connection to a the power plant across Aboño river. Most probably the pipeline must be 6" to 12" pipe. The pipe needs to handle 1800 kg H₂ per hour at approximately 30 bar. The exact components in the fluid are not known yet.

3.3.2 Regulations

A list of regulations was given, which needs to be complied to. Some are handling about the properties of the pipe and some about the design of the pipeline. A gap analyses is being made to see if the SoluForce pipe and the pipeline can comply to it. Table 2 shown the list of the documents.

Additional as small list of the material was given where it shows that for the fitting system SS 316L shall be used and some extra pipeline settings.

4.13. Piping

Piping (including interconnection piping between equipment), tubing, fittings, and related components shall be designed, fabricated and testes in accordance with the requirement of relevant standard, such as ASME B31.3, B31.12, Hydrogen Piping and Pipelines, or equivalent. The use of threaded connection is prohibited in hydrogen service piping and shall be minimized in other services.

Piping bends are not allowed, except for pump seal system and steam tracing.

All interconnection pipes between equipment included in the scope of supply shall be provided.

All pipe fittings shall be stainless steel, with analogous quality of the material of pipes, as well as all valves, inline instrumentation, and other accessories.

Pipe shall be in accordance with the following table (minimum requirements):

| Service | Pipe Material |
|----------------|--|
| Hydrogen | 316L SS |
| Service Air | Galvanized Steel (if required) |
| Instrument Air | 304L or 316L SS |
| Cooling water | Bidder standard (Galvanized CS not acceptable) |
| Raw water | HDPE |
| Demi water | 304L or 316L SS |
| Oxygen | 316L SS |
| Nitrogen | 304 L or 316L SS |

Joints in the piping system shall be butt welded and 100% inspected using NDT methods, in accordance with relevant standards. Pipe support shall have sufficient strength to withstand all anticipated static and dynamic loading condition associated with intended use.

All piping shall be rated with a maximum allowable working pressure (MAWP) equal to or greater than the pressurized system Maximum Operating Pressure (MOP).

All piping shall be sized and laid out to ensure a minimum pressure drop throughout the several processes of the system and maintain a consistent flow rate according to the process design requirements.

Table 2: List of associated standards and regulations (Spain)

| # | Document | SF Comply |
|----|---|-----------|
| 1 | ASME B31.12-2019. Tuberías y oleoductos de hidrógeno. | check |
| 2 | ASME B31.8-2020. Sistemas de Tuberías de Transmisión y Distribución de Gas. | check |
| 3 | CGA G-5. Hidrógeno. | check |
| 4 | ISO/TR 15916:2015. Consideraciones básicas para la seguridad de los sistemas de hidrógeno. | check |
| 5 | NCSE-02. Norma de construcción resistente a terremotos NFPA 2 Código de tecnologías de hidrógeno | check |
| 6 | NFPA 2. Código de Tecnologías del Hidrógeno. | check |
| 7 | UNE 60302:2015. Tuberías para combustibles gaseosos. Emplazamiento. | check |
| 8 | UNE 60305:2015. Tuberías de acero para combustibles gaseosos. Zonas de seguridad y coeficientes de diseño según su emplazamiento. | check |
| 9 | UNE-EN 1594:2014. Infraestructura de gas. Tuberías para una presión máxima de funcionamiento superior a 16 bar. Requisitos funcionales. | check |
| 10 | CGA G-5.3. Especificación de productos básicos para el hidrógeno. | check |
| 11 | CGA G-5.4. Estándar para sistemas de tuberías de hidrógeno en las ubicaciones de los usuarios. | check |
| 12 | CGA G-5.5. Estándar para sistemas de ventilación de hidrógeno. | check |
| 13 | CGA G-5.6. Sistemas de tuberías de hidrógeno. | check |
| 14 | NFPA 55. Código de Gases Comprimidos y Fluidos Criogénicos. | check |
| 15 | IGC 13/12/E Oxygen pipeline and piping systems | N.A. |
| 16 | ISO 11114-1:2020 Cilindros de gas. Compatibilidad de los materiales del cilindro y la válvula con el contenido de gas. Parte 1: Materiales metálicos. | N.A. |
| 17 | Norma ISO 22734:2019. Generadores de hidrógeno que utilizan electrólisis de agua: aplicaciones industriales, comerciales y residenciales. | N.A. |
| 18 | Norma ISO 26142:2010. Aparato de detección de hidrógeno. Aplicaciones estacionarias. | N.A. |
| 19 | ISO/TS 19883:2017. Seguridad de los sistemas de adsorción por cambio de presión para la separación y purificación de hidrógeno. | N.A. |
| 20 | UNE-EN 10028. Productos planos de acero para uso a presión. | N.A. |

| | | |
|----|--|-------|
| 21 | UNE-EN 16726:2016+A1:2019. Infraestructuras gasistas - Calidad del gas - Grupo H. | N.A. |
| 22 | UNE 60309:2015. Tuberías para combustibles gaseosos. Espesor mínimo de pared para tuberías de acero. | check |
| 23 | UNE 181001:2010. Tecnologías del hidrógeno - Terminología. | check |
| 24 | UNE-EN 1127. Atmósferas explosivas. | check |
| 25 | UNE-EN 12186:2015. Infraestructura gasista - Estaciones reguladoras de presión de gas para transporte y distribución - Requisitos funcionales. | check |
| 26 | UNE-EN IEC 60079. Atmósferas explosivas. | check |
| 27 | UNE-EN ISO/IEC 80079. Explosive atmospheres. | check |

The first analyses show that a large part is about the engineering of the pipeline which just needs to be followed. No obstacles for SoluForce are found yet. Non-metallics are not always mentioned, but at least it is also not excluded. The material properties for steel pipes are mentioned. With the datasheet of the SoluForce pipe, the API 15S qualification and the Kiwa covenant a large part can be covered. In appendix 1 a list is shown of the different interesting items from the standards, which will need to be taken into account.

3.3.3 Location

Up to now the exact location is not known. This will become more clear in the coming time.

3.3.4 Operational conditions

Details are given about the pipeline. There are two parts, one of 400 meter and one of 14 km, both having a capacity of 1800 kg H₂ per hour. Suggested are 6" or 12" pipe. SoluForce has already a Hydrogen pipe available and will also develop a 6" and a 8" hydrogen pipe. Indicational calculations are made to get a view in which pipe dimensions are necessary for this project. In table 3 and 4 the results of the calculation are listed. For the calculation the SoluForce gas calculation is used (GPC6). From the calculations it can be concluded that for purely the transport of the hydrogen in the 400 meter case SoluForce M570 H2T is more than enough and maybe even a M480 H2T. For the long 14 km length the SoluForce M570 H2T pipe can do the job, but a pipe of 6 or 8" would be preferable. A 12" pipe is overdone. In this calculation the line packing is not taken into account for possible storage of hydrogen.

Table 3: 400 m pipe section, calculated parameters

| Parameter | units | SF M570 H2T | SF 6" | SF 8" | Steel 6" | Steel 12" |
|---|---------|----------------|-------|--------|----------|-----------|
| Internal diameter | [mm] | 122 | 133 | 194 | 146 | 299 |
| Capacity | [kg/hr] | 4024 | 5066 | >10000 | 6496 | >43000 |
| Outlet pressure | [bar] | 29 | 29 | 29 | 29 | 29 |
| 400 m, Inlet 30 bar, 25°C, target 1800 kg/hr H ₂ | | | | | | |

Table 4: 14 km pipe section, calculated parameters

| Parameter | units | SF M570 H2T | SF 6" | SF 8" | Steel 6" | Steel 12" |
|---|---------|----------------|-------|-------|----------|-----------|
| Internal diameter | [mm] | 122 | 133 | 194 | 146 | 299 |
| Capacity | [kg/hr] | 1800 | 1800 | >2340 | 1800 | >7400 |
| Outlet pressure | [bar] | 22 | 25 | 29 | 27.2 | 29 |
| 14 km, Inlet 30 bar, 25°C, target 1800 kg/hr H ₂ | | | | | | |

3.3.5 First project analyses

When all present details are overseen the following can be mentioned:

1. In principle SoluForce can do the job with the M570 H2T pipe ;
2. Depending on the time line also new larger SoluForce pipes in the portfolio will be able to perform the long length job, with possible extra capacity ;
3. The SoluForce pipe will give advantages in easy installation and lower OPEX, equal to the Rhone project ;
4. The regulations are checked. The English versions of the documents are used ;
5. The analyses show that a large part is about the engineering of the pipeline which just needs to be followed. No obstacles for SoluForce are found ;
6. Most probably the NEN3650 and NEN3561 may be used as well ;
7. The small regulation sheet details can be met by the SoluForce products.

Additional testing campaign

4.1 General

For the Hy2market projects it shows that already the majority of the SoluForce pipe system tests have been performed in order to comply to the regulations and engineering rules.

Two items are still remaining:

1. Effect of linerpipe material on the purity of the hydrogen ;
2. Engineering and handling of SoluForce pipes on pipe racks ;

These tests will be performed under the WP3.C.3 budget for “other services”.

4.2 Hydrogen purity

The hydrogen purity is very much important for the offtakers. When the hydrogen is leaving the production site it is fully cleaned and dried and in perfect condition for the offtakers. Especially for the fuel cells the high purity is of importance.

The SoluForce liner pipe is made of HDPE100 Ineos TUB121 which has a drinking water certificate, meaning that the drinking water is not affected by the material. Still to be sure a simple test has been designed to check if the material will affect the purity of the hydrogen. For this a piece of the material will be put in an autoclave and cycled several times with hydrogen with a period of 52 bar H₂ pressure and a period with no pressure. The periods will be long enough to give the gas the possibility to ab-sorb and dis-sorb. After 20 cycles the gas content will be checked for impurities. The test is being performed by Kiwa and will be ready mid-August 2024.

4.3 SoluForce on pipe racks

Typically SoluForce is installed on the ground or buried. In the case that the pipe is used in an industrial area it may be necessary for the pipe to run on a pipeline rack. For this the pipe will need to be fixed and supported. Fixing the pipe will give forces on the pipe and the pipeline rack. For several standard set ups the forces will be calculated and reviewed if any special attention needs to be made. It will give advice about the maximum support spacing, catenary and clamp conditions. The modelling will be performed by an engineering company.

Furthermore a SoluForce pipe document needs to be written for the handling, design and pipe rack working procedure on such a pipe racks. The document will need to be written by SoluForce.

Actions

The following actions will need to be performed:

1. Keep regulation and standard list up to date for the France and Spain project (CNRhone , EDP) ;
2. GAP analyses of the regulations and standards (SoluForce, CNRhone , EDP) ;
3. More ROW information for the Spain project (EDP);
4. Check possibility to deploy SoluForce for the France and Spain projects (SoluForce, CNRhone , EDP) ;
5. ROW Deventer project and installation plan (SoluForce, Firan) ;
6. Hydrogen purity test (SoluForce) ;
7. SoluForce pipe rack modelling (SoluForce) ;
8. SoluForce pipe rack handling procedure (SoluForce).

References

5.1 Reference list

| Ref | Document |
|------|---|
| [1] | SoluForce - T-D-003 - Technical Datasheet for SoluForce Classic H2T- 003.1 |
| [2] | API - API 15S - April 2022 - Spoolable reinforced plastic line pipe API - API Q1 - June 2018 - specification for quality management system requirements for manufacturing organizations for the petroleum and natural gas industry |
| [3] | |
| [4] | Kiwa - K101779-02 - Hydrogen Covenant Soluforce |
| [5] | BEVB - 2020.00724 - QRA for plastic pipe system hydrogen backbone Groningen seaports |
| [6] | NEN - NEN3650 - Requirements for pipeline systems part (1 &3) |
| [7] | NEN - NEN3651 - Additional requirements for pipelines in or nearby important public works |
| [8] | EDP - SoluForce Excel project information filling forms EDP |
| [9] | CNR - SoluForce Excel project information filling forms CNR Rhone |
| [10] | SoluForce - GPC6 - Gas pipeline capacity calculation sheet |

5.2 Standards and regulations

Many standards and regulations are not open source and are bought for explicit use by the buyer only, therefore the listed standards and regulations cannot be shared. These standards and regulations can be found at the document originated organizations. The following links can be used:

| | |
|--|---|
| List of all Codes and Standards - ASME | Shop By Publisher (techstreet.com) |
| ISO - Standards | API Webstore |
| CGA Publications (cganet.com) | The List of 300+ Codes and Standards (nfpa.org) |

EU acknowledgement and disclaimer



Co-funded by
the European Union

“The sole responsibility for the content of this publication lies with the authors and is based on the best knowledge at the time of writing the document. It does not necessarily represent the opinion of the European Union. Neither EISMEA nor the European Commission are responsible for any use that may be made of the information contained therein.”

Appendix 1: Asturias standard and regulation check results

| Standard | Type | Remarks |
|-------------------|---------|--|
| ASME B31.12 | General | welding according to ASME IX boiler and pressure vessels code BPVC |
| ASME B31.8-2020 | General | Non-metallics allowed, HDPE, PA11 Hydrotest pressure Is for low pressure |
| CGA G-5.4 | General | Fitting system pf 316L Fitting system CS if meeting ASME B13.12 temp limits static electricity O-rings H2 designed gasket not of plastics use weld stubs if possible |
| | FCP | Permeation control for Plastics |
| CGA G-5.6 | General | hydrogen pipeline systems metal pipes!! T -40 C to 175 P 1 MPa to 21 Polyethylene max 60°C elastomer permeation rates Control of third party interference safety mitigations |
| ISO TR 15916 2015 | General | static electricity overpressure gas detection training for emergency handling (fire fighting, flow stop) emergency procedures Hydrogen properties annex A |
| | FCP | Permeation |
| | Steel | Hydrogen embrittlement |
| NEN-EN 1594 2014 | General | Gas pipes >16 bar Natural gas only safety measures |
| 1127-1 | General | Risk assessment risk reduction ignition by friction => H2 does not heat up during release static electricity |
| NEN-EN 12186 | General | Hydrotesting >16 bar EN1594; <16 bar EN12007-1 |
| | FCP | Not to be used in the station between inlet and outlet valves |